Inspection Checklist	Date of inspection:	Plot No.
mopeous encouns.		

		Notes	Passed
			Yes/No
Asbestos	Found on buildings, fencing, and hidden on derelict plots.		
Fuel storage	NO Fuel to be stored on site. Larger "calor" type gas bottles are not		
	allowed only small camping type.		
Gates/ Access	Loose hinges, broken gate, unsafe structure / path clear and usable		
to the plot	along its length		
Ponds, open	No concealing vegetation hiding the perimeter of the pond causing		
water/ditches	a hazard. Area is fenced off. Pond healthy & well sited		
Refuse	No rubbish causing issues for wildlife/people, attracting vermin		
	Piles of rubbish left untended		
Glass	All broken glass must be disposed of.		
	Glass panels should be stored appropriately to avoid breakages		
Trip hazards	Hidden objects and items on paths/ plot must be stored or		
	disposed of appropriately also consider eye level risks i.e. trees		
Structures,	All foundations, roofs and doors must be safe/secure on structures		
Sheds &	Chemicals should be safely & securely stored away		
greenhouse	Should not contain broken glass or other hazards.		
Etc.	-		
Overall	Plot should be free of rubbish and debris lying around and be		
Cleanliness	generally tidy. All rubbish must be disposed of or collected in one		
	designated area for disposal		
Weeds	The plots should be generally weed free with no piles of vegetation		
	lying around with the exception of on compost bins. Attention		
	should be paid to any weeds being allowed to seed/spread.		
	Grassed areas and paths should be clear of weeds that may impact		
	on other plots.		
Maximising	Large areas must not be left to grow "wild". All areas must have		
space for	appropriate use on the allotment to maximise capacity for growing.		
growing	Covers if used must only be temporary. Woodchip on paths only		
Composting	Needs to be well maintained and not have plastic and rubbish in		
	the compost heap		
Animals	All animals kept are in line with welfare, health and safety		
	regulations. Vermin controls to be in place as needed.		

Notes: